



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/694,433	10/23/2000	Andrew Read	TRANS59	3072

7590 09/29/2006

WAGNER, MURABITO & HAO LLP
TWO NORTH MARKET STREET
THIRD FLOOR
SAN JOSE, CA 95113

EXAMINER

CAO, CHUN

ART UNIT PAPER NUMBER

2115

DATE MAILED: 09/29/2006

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary	Application No. 09/694,433	Applicant(s) READ ET AL.	
	Examiner Chun Cao	Art Unit 2115	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 24 July 2006.
- 2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-18 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-18 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____ |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08)
Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____ |

Final Rejection

1. Claims 1-18 are presented for examination. Claims 19-37 are canceled.
2. The text of those applicable section of Title 35, U.S. Code not included in this action can be found in the prior Office Action.
3. The rejections are respectfully maintained and reproduced infra for applicant's convenience.
4. Claims 1-3, 5-11 and 13 are rejected under 35 U.S.C. 102(e) as being anticipated by Pole, II et al. (Pole), US patent no. 6,675,304.

Pole is a prior art reference cited in prior office action in IDS paper no. 20040917.

As per claim 1, Pole teaches a method for reducing power utilized by a processor [fig. 5] comprising the steps of:

determining that a processor is transitioning from a computing mode to a mode in which system clock to the processor is disabled [col. 1, lines 30-34; col. 4, lines 15-32; col. 5, lines 10-16]; and

reducing core voltage to the processor to a value sufficient to maintain state during the mode in which system clock is disable [col. 4, lines 15-40], wherein said value of the core voltage is not sufficient to maintain processing activity in said processor [deep sleep state, col. 1, line 30-34].

As per claim 2, Pole teaches of determining the processor is transitioning from a computing mode to a mode in which system clock to the processor is

Art Unit: 2115

disabled comprises monitoring a stop clock signal [col. 4, lines 15-40; col. 5, lines 10-16].

As per claim 3, Pole teaches of reducing core voltage to the processor to a value sufficient to maintain state during the state in which system clock is disabled [col. 1, lines 30-34] comprises: furnishing an input to reduce an output voltage provided by a voltage regulator furnishing core voltage to the processor [col. 3, lines 31-67].

As per claim 5, Pole teaches a method for reducing power utilized by a processor [fig. 5] comprising the steps of:

determining that a processor is transitioning from a computing mode to a mode in which system clock to the processor is disabled [col. 1, lines 30-34; col. 4, lines 15-32; col. 5, lines 10-16];

reducing core voltage to the processor to a value sufficient to maintain state during the mode of which system clock is disabled [col. 4, lines 15-40]; and

transferring operation of a voltage regulator furnishing core voltage in a mode in which power is dissipated during reductions in core voltage to a mode in which power is saved during a voltage transition when it is determined at a processor is transitioning from a computing mode to a mode in which system clock to the processor is disabled [col. 1, lines 30-34; col. 4, lines 15-40; col. 5, lines 10-16].

As per claim 6, Pole teaches of returning the voltage regulator to its original mode of operation when the value of the core voltage sufficient to

Art Unit: 2115

maintain state during the mode in which system clock is disabled is reached [col. 1, lines 30-34; col. 4, lines 15-40; col. 5, lines 10-16].

5. As per claim 7, Pole discloses a circuit [fig. 2] for providing a regulated voltage to a processor comprising:

a voltage regulator [52, figures 1, 2] having: an output terminal [col. 3, lines 31-55; “the output from the voltage regulator 52”, inherently, there is an output terminal in the voltage regulator 52] providing a selectable voltage [col. 3, lines 43-50, “...adjust the voltage level supplied by the voltage regulator 52 up or down” and “to indicate that the voltage level from the voltage regulator 52 is changing”];

input terminal [fig. 2] for receiving signals indicating the selectable voltage level [col. 3, lines 31-55];

means for providing signal at the input terminal of the voltage regulator for selecting a voltage for operating the processor in a computing mode and a voltage of a level less than that for operating the processor in computing mode [col. 4, lines 2-11], wherein the level less than that for operating the processor in a computing mode is sufficient to maintain state of the processor [col. 1, lines 30-34; col. 4, lines 15-40; col. 5, lines 10-16].

As per claim 8, Pole discloses that the voltage regulator comprises means for accepting binary signals [LO/HI signals] indicating different voltage level [fig. 2; col. 3, lines 43-61; “A signal VR_LO/HI#...adjust the voltage level supplied by the voltage regulator 52 up or down”].

Art Unit: 2115

As per claim 9, Pole discloses that the voltage regulator comprises:

Selection circuitry, means for furnishing a plurality of signals at the input to the selection circuitry and means for controlling the selection by the selection circuitry [fig. 2; col. 3, lines 31-67].

As per claim 10, Pole discloses a multiplexor and means for controlling the selection by the selection circuitry including a control terminal for receiving signals indicating a system clock to the processor is being terminated [fig. 2; col. 3, lines 31-67].

6. As per claim 11, Pole discloses a circuit [fig. 2] for providing a regulated voltage to a processor comprising:

a voltage regulator [52, figures 1, 2] having: an output terminal [col. 3, lines 31-55; "the output from the voltage regulator 52", inherently, there is an output terminal in the voltage regulator 52] providing a selectable voltage [col. 3, lines 43-50, "...adjust the voltage level supplied by the voltage regulator 52 up or down" and "to indicate that the voltage level from the voltage regulator 52 is changing"];

input terminal [fig. 2] for receiving signals indicating the selectable voltage level [col. 3, lines 31-55];

means for providing signal at the input terminal of the voltage regulator for selecting a voltage for operating the processor in a computing mode and a voltage of a level less than that for operating the processor in computing mode [col. 4, lines 2-11],

Art Unit: 2115

means for reducing the selectable voltage below a lowest level the voltage regulator is specified to output [col. 1, lines 30-34; col. 4, lines 15-40; col. 5, lines 10-16].

7. As per claim 13, Pole discloses a circuit [fig. 2] for providing a regulated voltage to a processor comprising:

a voltage regulator [52, figures 1, 2] having: an output terminal [col. 3, lines 31-55; “the output from the voltage regulator 52”, inherently, there is an output terminal in the voltage regulator 52] providing a selectable voltage [col. 3, lines 43-50, “...adjust the voltage level supplied by the voltage regulator 52 up or down” and “to indicate that the voltage level from the voltage regulator 52 is changing”];

input terminal [fig. 2] for receiving signals indicating the selectable voltage level [col. 3, lines 31-55];

means for providing signal at the input terminal of the voltage regulator for selecting a voltage for operating the processor in a computing mode and a voltage of a level less than that for operating the processor in computing mode [col. 4, lines 2-11],

circuitry for conserving charge [battery 60] stored by the voltage regulator when the selectable voltage decreases; and means for enabling the circuitry for conserving charge stored by the voltage regulator when the selectable voltage decreases [col. 3, lines 43-67; col. 4, lines 15-40; col. 5, lines 10-16].

Art Unit: 2115

8. Claims 4, 12 and 14-18 are rejected under 35 U.S.C. 103 (a) as being unpatentable over Pole, II et al. (Pole), US patent no. 6,675,304 in view of Applicant Admitted Prior Art (AAPA) and "High-speed, Digitally adjusted step-down controllers for notebook CPUs" Maxim, July 2000, pages 1-28 (hereinafter "Maxim").

As per claim 4, Pole teaches a method for reducing power utilized by a processor [fig. 5] comprising the steps of:

determining that a processor is transitioning from a computing mode to a mode in which system clock to the processor is disabled [col. 1, lines 30-34; col. 4, lines 15-32; col. 5, lines 10-16]; and

reducing core voltage to the processor to a value sufficient to maintain state during the mode in which system clock is disable [col. 4, lines 15-40] by:

furnishing an input to reduce an output voltage provided by a voltage regulator furnishing core voltage to the processor [col. 3, lines 31-67]; and

providing a control signal to the voltage regulator to reduce its output voltage below a specified output voltage [col. 4, lines 5-7].

Pole does not explicitly teach of providing a feedback to the voltage regulator.

AAPA teaches of providing a feedback to the voltage regulator [Maxim 1711, page 10, lines 6-9].

Furthermore, Maxim teaches a Maxim 1711 is a step-down controller, wherein Maxim 1711 is implemented in a computer system to reduce voltage level to a CPU core [see page 1].

Art Unit: 2115

It would have been obvious to one of ordinary skill in the art at time the invention to combine the teachings of Pole and AAPA because the specify teachings of AAPA stated above would allow the processor to run stable and reliable by adjusting the core voltage accordingly.

As per claim 18, Pole teaches that the output voltage to which said voltage regulator is reduced depends upon output voltage of said voltage regulator prior to furnishing the input to reduce the output voltage provided by the voltage regulator [col. 3, lines 43-67].

9. As per claim 12, Pole discloses a circuit [fig. 2] for providing a regulated voltage to a processor comprising:

a voltage regulator [52, figures 1, 2] having: an output terminal [col. 3, lines 31-55; "the output from the voltage regulator 52", inherently, there is an output terminal in the voltage regulator 52] providing a selectable voltage [col. 3, lines 43-50, "...adjust the voltage level supplied by the voltage regulator 52 up or down" and "to indicate that the voltage level from the voltage regulator 52 is changing"];

input terminal [fig. 2] for receiving signals indicating the selectable voltage level [col. 3, lines 31-55];

means for providing signal at the input terminal of the voltage regulator for selecting a voltage for operating the processor in a computing mode and a voltage of a level less than that for operating the processor in computing mode [col. 4, lines 2-11],

Art Unit: 2115

means for reducing the selectable voltage below a level provided by the voltage regulator [col. 4, lines 2-11].

Pole does not explicitly disclose a voltage regulator feedback circuit and a voltage divider network.

AAPA discloses a voltage regulator including a voltage regulator feedback circuit and a voltage divider network [page 10, lines 6-9].

Furthermore, Maxim teaches a Maxim 1711 is a step-down controller with a voltage divider network [see page 1], wherein Maxim 1711 is implemented in a computer system to reduce voltage level to a CPU core [see page 1].

It would have been obvious to one of ordinary skill in the art at time the invention to combine the teachings of Orton and AAPA because the specify teachings of AAPA stated above would allow the processor to run stable and reliable by adjusting the core voltage accordingly.

As per claim 14 is contained same limitations as set forth in claim 12. Therefore, same rejection is applied.

As per claim 15, Pole teaches that the first voltage is for operating the processor in a computing mode and the second voltage is a level less than that for operating the processor in the computing mode [col. 4, lines 2-7].

As to claims 16 and 17, Maxim discloses that the feedback circuit comprises a voltage divider [see page 1].

Response to Arguments

10. Applicant's arguments filed 7/24/2006 have been fully considered but are not persuasive.

11. In the remarks, applicants argued in substance that 1) Pole does not disclose the limitation "reducing core voltage to the processor to a value sufficient to maintain state during the mode in which system clock is disable, wherein said value of the core voltage is not sufficient to maintain processing activity in said processor" as recited in claim 1. 2) Pole fails to teach of transferring operation of a voltage regulator furnishing core voltage in a mode in which power is dissipated during reductions in core voltage to a mode in which power is saved during a voltage transition [col. 1, lines 30-34; col. 4, lines 5-40; col. 5, lines 10-16]. 3) Pole fails to teach the limitation "mean for reducing the selectable voltage below a lowest level the voltage regulator is specified to output". 4) Pole fails to teach the limitation "circuitry for conserving charge stored by the voltage regulator when the selectable voltage decreases; and means for enabling the circuitry for conserving charge stored by the voltage regulator when the selectable voltage decrease". 5) Pole and AAPA and Maxim fail to teach the limitation "providing a feedback signal to the voltage regulator to reduce its output voltage below a specified output voltage".

12. The examiner respectfully traverses. As to 1), Pole teaches of reducing core voltage to the processor to a value sufficient [a low voltage level of 1.3 volts] to maintain state [maintain a deep sleep state] during the mode in which system

Art Unit: 2115

clock is disable [col. 4, lines 15-40, emphasis added, "stopping the processor bus clock"], wherein said value of the core voltage is not sufficient to maintain processing activity in said processor [emphasis added "there is no activities are performed by the processor while it is in a deep sleep state", see col. 1, line 30-34]. As to 2) Pole teaches of transferring operation of a voltage regulator furnishing core voltage in a mode in which power is dissipated during reductions in core voltage to a mode in which power is saved during a voltage transition [col. 1, lines 30-34; col. 4, lines 5-40; col. 5, lines 10-16; emphasis added, "power is saved from high performance state (normal mode) to low performance state (deep sleep state)"]. As to 3) Pole teaches that means for reducing the selectable voltage below a lowest level the voltage regulator is specified to output [col. 1, lines 30-34; col. 4, lines 15-40; col. 5, lines 10-16]. As to 4) Pole teaches that circuitry for conserving charge [battery 60] stored by the voltage regulator when the selectable voltage decreases; and means for enabling the circuitry for conserving charge stored by the voltage regulator when the selectable voltage decreases [col. 3, lines 43-67; col. 4, lines 15-40; col. 5, lines 10-16; also, the battery is connected to the voltage regulator show in figure 1]. As to 5) AAPA teaches of providing a feedback to the voltage regulator [Maxim 1711, page 10, lines 6-9]; however, Maxim teaches a Maxim 1711(as cited in AAPA) is a step-down controller, wherein Maxim 1711 is implemented in a computer system to allow of adjusting and reducing voltage level to a CPU core [see page 1].

Also see rejection above.

Art Unit: 2115

13. **THIS ACTION IS MADE FINAL.** See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Chun Cao whose telephone number is 703-308-6106. The examiner can normally be reached on Monday-Friday from 7:30 am-4:00 pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Thomas C. Lee can be reached on 703-305-9717. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 2115

Any inquiry of a general nature or relating to the status of this application should be directed to the Group receptionist whose telephone number is (703) 306-5631.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Sep. 26, 2006

A handwritten signature in black ink, appearing to read 'Chun Cao', is positioned above the printed name.

CHUN CAO
PRIMARY EXAMINER